

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L6	34	I5 not I1	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/31 11:01
L5	37	source adj (location identifier) near5 within near3 information	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/31 11:01
L4	1	I3 not I1	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/31 10:59
L3	6	(identification identifying stor\$3) near3 source adj (location identifier) near5 within with information	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/31 10:59
L2	6	(identification identifying stor\$3) near3 source adj (location identifier) near5 within near5 information	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/31 10:58
L1	5	(identification identifying stor\$3) near3 source adj (location identifier) near5 within near3 information	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/31 10:53
S130	320	(identification identifying stor\$3) near3 source adj (location identifier) with information	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/30 19:58
S129	491	(identification identifying stor\$3) near3 source adj (location identifier) same information	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/30 19:58
S128	0	(identification identifying stor\$3) near3 source adj identifier same compliance	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/30 19:12

S127	24	source adj location same compliance	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/30 18:56
S126	5	(identification identifying stor\$3) with source same compliance near3 item	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/30 18:50
S125	178	(identification identifying stor\$3) near3 source same compliance	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/30 18:50
S124	1	(identification identifying stor\$3) near3 source same compliance near3 item	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/30 18:42
S123	41	S122 not S121	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/30 18:31
S122	47	(identification identifying stor\$3) with source with compliance near3 information	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/30 18:30
S121	18	(identification identifying stor\$3) near3 source same compliance near3 information	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/30 18:23
S120	71	(identification identifying stor\$3) with source same compliance near3 information	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/30 18:20
S119	0	source adj location same compliance near3 information	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/30 18:20
S118	0	(identification identifying stor\$3) with source adj location same compliance near3 information	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/30 18:19
S117	14	(identification identifying stor\$3) with (start end) with compliance near3 (item information)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/30 17:39

S116	1	(identification identifying stor\$3) with (start end) adj point with compliance near3 (item information)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/30 17:39
S115	1	(identification identifying stor\$3) with (start end) adj point near5 compliance near3 (item information)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/30 17:38
S114	5	(stor\$3 or sav\$3) near3 indication near3 location and compliance near2 information	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/30 17:33
S113	0	(stor\$3 or sav\$3) near3 indication near3 location same compliance near2 information	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/30 17:32
S112	1362	(stor\$3 or sav\$3) near3 indication near3 location samecompliance near2 information	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/30 17:32
S111	0	(stor\$3 or sav\$3) near3 indication near3 location with compliance near2 information	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/30 17:32
S110	4	707/102.ccls. and S109	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/21 13:57
S109	202	(identify\$3 locat\$3 find \$3) near3 (data term word element) near3 (source file document) and (storing saving) near3 (source file document) adj location	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/21 13:57
S108	56	search\$3 with mutual adj fund	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/21 13:25
S107	0	search\$3 same source adj file with mutual adj fund	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/21 13:24
S106	8	search\$3 same creat\$3 near3 hyperlink near3 results	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/21 11:06

S105	202	((identify\$3 locat\$3 find \$3) near3 (data term word element) near3 (source file document) and (storing saving) near3 (source file document) adj location	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/20 13:34
S104	31388	((identify\$3 locat\$3 find \$3) near3 (data term word element) near3 (source file document)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/20 13:33
S103	59	retriev\$3 near3 data with source adj location	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 17:53
S102	7	request near3 user with file same source adj location	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 17:50
S101	2	request near3 user near3 file same source adj location	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 17:50
S100	2380081	request near3 user near3 file same source location	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 17:42
S99	2	"6122635".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 15:27
S98	438	((record\$3 or sav\$3 or stor\$3) near3 indicat\$3 with source) and source near5 file	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 15:44
S97	779	((record\$3 or sav\$3 or stor\$3) near3 source adj location	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 15:44
S96	260	((identify\$3 near3 location near3 text) and (sav\$3 or stor\$3 or record\$3 near3 location)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 15:44
S95	2	((identify\$3 or select\$3 or locat\$3) near3 portion near3 file) with within near3 source	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 15:44

S84	1255	((identify\$3 or select\$3) near3 portion near3 file	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 15:44
S83	5827	(record\$3 or sav\$3 or stor\$3) near3 indicat\$3 with source	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 15:44
S82	15	(record\$3 or sav\$3 or stor\$3) near3 indicat\$3 with source adj location	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 15:44
S81	3	((record\$3 or sav\$3 or stor\$3) near3 source adj location) and source adj location with portion near3 file	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 15:44
S80	54	((identify\$3 near3 portion near3 file with data) and ((stor\$3 or sav\$3 or record\$3) with location)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 15:44
S89	0	((identify\$3 near3 portion near3 file with data adj element) and ((stor\$3 or sav\$3 or record\$3) with location)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 15:44
S88	154	((identify\$3 near3 portion near3 file) and ((stor\$3 or sav\$3 or record\$3) with location)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 15:44
S87	19	identify\$3 near3 text adj within near3 (file or document)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 15:44
S86	13	identify\$3 near3 source adj location with file	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 15:44
S85	1	((identify\$3 near3 portion near3 file) and ((stor\$3 or sav\$3 or record\$3) with source adj location)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 15:44
S84	0	identify\$3 near3 source adj location near3 within near3 file	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 15:44

S83	2	"20050102313"	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 15:44
S82	1886	(707/204).CCLS	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/22 15:44
S81	1	hyperlinks same (stor\$3 near\$3 (source adj location) with database)	US-PGRUB; USPAT; USOCR	OR	ON	2007/03/22 15:44
S80	1	"20050234845"	US-PGRUB; USPAT; USOCR	OR	ON	2007/03/22 15:44
S79	7	("5999929" "6038574" "6112202" "6182091" "6256648" "6285999"). PN. OR ("6675170"). URPN.	US-PGRUB; USPAT; USOCR	OR	ON	2007/03/22 15:44
S78	40	S77 and (source adj location)	US-PGRUB; USPAT; USOCR	OR	ON	2007/03/22 15:44
S77	1619	web adj page adj links	US-PGRUB; USPAT; USOCR	OR	ON	2007/03/22 15:44
S76	1861192	web page links	US-PGRUB; USPAT; USOCR	OR	ON	2007/03/22 15:44
S75	7	(data adj1 structure) near\$3 pixel\$1 near\$3 grid	US-PGRUB; USPAT; USOCR	OR	ON	2007/03/22 15:44
S74	30	("20010007991" "20010018707" "20010042089" "20010047356" "20020010682" "20020013791" "20020083087" "20020150041" "20020184170" "20040230569" "20050086646" "5826258" "5848413" "5893127" "5974430" "6078924" "6128624" "6141666" "6282537" "6327589" "6356899" "6360306" "6493720" "6532473" "6636845" "6657647" "6704736" "6778541" "6847999" "6886020").PN. OR ("7020667").URPN.	US-PGRUB; USPAT; USOCR	OR	ON	2007/03/22 15:44
S73	187	S71 and (database or (storage adj device))	US-PGRUB; USPAT; USOCR	OR	ON	2007/03/22 15:44
S72	14	("5270922" "5502637" "5590325" "5689650" "5819271" "5864871" "5893079" "5918218" "5926792").PN. OR ("6122635").URPN.	US-PGRUB; USPAT; USOCR	OR	ON	2007/03/22 15:44

S71	274	((record\$3 or stor\$3 or sav\$3) near3 source adj1 location) with data	US-PGRUB; USPAT; USOCR	OR	ON	2007/03/22 15:44
S70	2	"6122635".pn.	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 15:44
S69	0	"jeffrey leveraging".in.	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 15:44
S68	2	"20030204461"	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 15:44
S67	28	stor\$3 near3 (file or object or image) adj2 source adj2 location	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 15:44
S66	1	track\$3 near3 file near lifecycle	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 15:44
S65	20	garre.in.	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 15:44
S64	130	S63 and location near3 data	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 15:44
S63	283	S62 and database	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 15:44
S62	458	(data adj element\$1) with (data adj source\$1)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 15:44
S61	0	file near3 lifecycle near2 history	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 15:44
S60	151	S59 not (S58 or S57)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 15:44

S59	161	identify\$3 near3 source adj2 (location or information) same (database or (storage adj device) or (file adj storage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 15:44
S58	625	(stor\$3 or sav\$3) near3 source adj2 (location or information) same (database or (storage adj device) or (file adj storage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 15:44
S57	137	(stor\$3 or sav\$3) adj2 source adj2 (location or information) same (database or (storage adj device) or (file adj storage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 15:44
S56	151	levering.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 15:44
S55	1528	(track\$3 or history) near3 source near3 (file or image or object or information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 15:44
S54	29	(locat\$3 adj data adj element) with database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 15:44
S53	19	locat\$3 adj1 data near5 (origina\$4 near2 source \$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 15:44
S52	2	"20030078976"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 15:44
S51	137	(stor\$3 or sav\$3) adj2 source adj2 (location or information) same (database or (storage adj device) or (file adj storage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 15:44
S50	625	(stor\$3 or sav\$3) near3 source adj2 (location or information) same (database or (storage adj device) or (file adj storage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 15:44

S49	260	((identify\$3 near3 location near3 text1) and (sav\$3 or stor\$3 or record\$3 near3 location))	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 15:35
S48	19	identify\$3 near3 text adj within near3 (file or document)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 15:32
S47	3	((record\$3 or sav\$3 or stor\$3) near3 source adj location) and source adj location with portion near3 file	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 15:11
S46	779	(record\$3 or sav\$3 or stor\$3) near3 source adj location	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 14:41
S43	15	(record\$3 or sav\$3 or stor\$3) near3 indicat\$3 with source adj location	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 14:41
S45	2	((identify\$3 or select\$3 or locat\$3) near3 portion near3 file) with within near3 source	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 14:34
S44	1252	((identify\$3 or select\$3) near3 portion near3 file	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 14:32
S41	5825	(record\$3 or sav\$3 or stor\$3) near3 indicat\$3 with source	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 14:29
S42	438	((record\$3 or sav\$3 or stor\$3) near3 indicat\$3 with source) and source near5 file	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 14:28
S40	54	((identify\$3 near3 portion near3 file with data) and ((stor\$3 or sav\$3 or record\$3) with location))	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 14:26
S39	0	((identify\$3 near3 portion near3 file with data adj element) and ((stor\$3 or sav\$3 or record\$3) with location))	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 14:12

S38	154	((identify\$3 near3 portion near3 file) and ((stor\$3 or sav\$3 or record\$3) with location))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 14:11
S37	1	((identify\$3 near3 portion near3 file) and ((stor\$3 or sav\$3 or record\$3) with source adj location))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 14:10
S34	2	"20050102313"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 14:06
S36	13	identify\$3 near3 source adj location with file	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 13:56
S35	0	identify\$3 near3 source adj location near3 within near3 file	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 13:55
S33	1686	(707/204).CQLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/10 08:30
S32	1	hyperlinks same (stor\$3 near3 (source adj location) with database)	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/05 16:59
S31	1	"20050234845"	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/05 16:57
S24	172	S23 and (database or (storage adj device))	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/05 15:31
S30	7	("5999929" "6038574" "6112202" "6182091" "6256648" "6285999"). PN. OR ("6675170"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/05 14:44
S29	35	S28 and (source adj location)	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/05 14:33
S28	1470	web adj page adj links	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/05 14:33
S27	1793929	web page links	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/05 14:32
S26	7	(data adj1 structure) near3 pixel\$1 near3 grid	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/05 14:32

S25	30	("20010007991" "20010018707" "20010042089" "20010047356" "20020010682" "20020013791" "20020083087" "20020150041" "20020184170" "20040230569" "20050086646" "5826258" "5848413" "5893127" "5974430" "6078924" "6128624" "6141666" "6282537" "6327589" "6356899" "6360306" "6493720" "6532473" "6636845" "6657647" "6704736" "6778541" "6847999" "6886020").PN. OR ("7020667").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/05 13:26
S23	253	((record\$3 or stor\$3 or sav\$3) near3 source adj1 location) with data	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/02 09:52
S22	14	("5270922" "5502637" "5590325" "5689650" "5819271" "5864871" "5893079" "5918218" "5926792").PN. OR ("6122635").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/02 09:50
S21	2	"6122635".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 08:58
S20	109	S19 and location near3 data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 08:58
S19	237	S18 and database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 13:17
S18	401	(data adj element\$1) with (data adj source\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 13:17
S17	27	(locat\$3 adj data adj element) with database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 13:14

S16	18	locat\$3 adj1 data near5 (origina\$4 near2 source \$1)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 13:05
S15	2	"20030078976"	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 12:54
S14	27	stor\$3 near3 (file or object or image) adj2 source adj2 location	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 12:39
S13	2	"20030204461"	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 12:34
S12	20	garre.in.	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 11:33
S10	149	levering.in.	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 11:29
S11	0	"jeffrey levering".in.	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 11:28
S9	1	track\$3 near3 file near lifecycle	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 11:27
S8	0	file near3 lifecycle near2 history	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 11:24
S7	137	S4 not (S5 or S6)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 11:24
S6	124	(stor\$3 or sav\$3) adj2 source adj2 (location or information) same (database or (storage adj device) or (file adj storage))	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 10:45

S5	571	(stor\$3 or sav\$3) near3 source adj2 (location or information) same (database or (storage adj device) or (file adj storage))	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 10:45
S4	147	identify\$3 near3 source adj2 (location or information) same (database or (storage adj device) or (file adj storage))	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 10:45
S1	571	(stor\$3 or sav\$3) near3 source adj2 (location or information) same (database or (storage adj device) or (file adj storage))	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 10:44
S3	1385	(track\$3 or history) near3 source near3 (file or image or object or information)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 10:43
S2	124	(stor\$3 or sav\$3) adj2 source adj2 (location or information) same (database or (storage adj device) or (file adj storage))	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 18:22

EAST Search History (Interference)

< This search history is empty >

12/ 31/ 2009 12:41:40 PM

C:\Documents and Settings\jbbbee\My Documents\EAST\Workspaces\10821121.wsp